



Est.
1975

A stylized Union Jack flag graphic positioned below the year '1975'.

JPerkins.com



JP Jet Fuel Caddy (Electric)

Product no. JPDA0018

Thank you for purchasing the JP Jet Fuel Caddy. This product offers a superb solution to a variety of fuel dispensing requirements. Primarily intended for use with kerosene, this system can also be used for petrol, glow fuel and smoke fluid.

Contents

- 1x 20 litre fuel can (blue)
- 1x Prolux pump with 6V 1100mAh NiMH
- 1x Ply fuel pump bracket (2 pieces)
- 1x Charge adapter lead
- 1x Metal fuel filter and filler nozzle
- 2x Pump mounting screws
- 1x Tygon Filler Tube (900mm)
- 3x Tygon tube (70, 180 & 450mm)



Please check contents before commencing assembly

Assembly instructions


STEP 1

Lightly sand the surface of the two pump mounting plates to remove the brown char marks left over from the laser cutting process. Glue the plates together as shown using 5 minute or 30 minute epoxy.



STEP 2

In preparation for assembly, use a sharp knife to square off / trim the ends of all pieces of Tygon fuel tube.



STEP 3

Insert the filler nozzle into one end of the Tygon Filler Tube (900mm).



STEP 4

Unscrew the caddy cap and connect the length of 450mm Tygon fuel tube to the underside as shown. Fit the 70mm vent tube to the top side of the cap and, finally, fit the fuel filter to the end of the 450mm tube.



STEP 5

Fit the free end of the 900mm filler tube to the pump along with the remaining 180mm piece Tygon tube.



STEP 6

Screw the pump to the mounting plate using the self tapping screws provided in the accessory bag supplied with the pump.



STEP 7

Place the ply fuel pump bracket over the neck of the fuel can and screw the fuel cap on. Attach the pump's yellow 180mm Tygon tube to the free nipple on the fuel cap.



ATTENTION! Double check that the rubber 'O' ring is in place between the cap and the neck of the can and tighten the cap securely for an airtight seal.

STEP 8

When the pump is not in use always connect the Filler Tube back to the vent tube as shown to prevent leakage or any fumes escaping. When filling, always ensure the vent tube is unblocked so as not to produce a vacuum within the can.



WARNING!

Once filled this product becomes highly flammable. As such:

- DO NOT smoke in the vicinity of the can.
- DO NOT store in direct sunlight.
- DO NOT overfill.
- Keep away from ALL sources of ignition.
- ALWAYS ensure that the cap is fully tightened and airtight.